

Subject Index

A

- Acenaphthene**
 - determination, 102
 - oxidation, 15, 24
 - recovery, 97
- Acenaphthylene**
 - determination, 102
 - polymerization, 100
- Acetylene**
 - production from benzole, 76
 - from coal, 76
- Acridine**
 - oxidation, 42
- Adhesives**, 47, 49, 50, 53
- Aniline**
 - determination, 125
 - oxidation, 42
- Anisole**
 - oxidation, 15
 - production, 111
 - properties, 41
- Anthracene**
 - decomposition, 100
 - determination, 18, 44, 77, 101, 102, 145
 - electrochemical oxidation, 24
 - extraction, 21, 22
 - oxidation, 24, 99
 - production, 100
 - properties, 23
 - purification, 21, 22, 96, 97
 - reaction with carbon dioxide, 100
 - recovery, 21, 22, 96
 - separation, 21, 22, 97
 - sulphonation, 25
- Anthracene, Octahydro-**
 - dehydrogenation, 100
 - isomerization, 100
 - oxidation, 23, 24
 - production, 23, 100
- Anthracene Oil**
 - coking, 57
 - in effluent treatment, 9
 - oxidation, 24, 99
 - in production of carbon black, 59
 - purification, 21, 22
- Anthracenes**
 - purification, 97
 - synthesis, 97
- Anthraquinone**
 - determination, 101
 - production, 24
- Anthraquinones**
 - analysis, 26
 - reduction, 26, 97
- Anti-oxidants**, 51, 131
- Aromatic Hydrocarbons**
 - acylation, 25
 - alkylation, 16, 89, 90, 98
 - ammonolysis, 92
 - ammoxidation, 92
 - analysis, 5, 18, 26, 78, 81, 92, 100, 101

Aromatic Hydrocarbons - continued

- arylation, 90
- cyclialkylation, 16
- dealkylation, 17, 90, 91
- disproportionation, 91
- electrochemical oxidation, 24
- extraction, 21, 22, 85, 96
- hydrodealkylation, 90, 91
- hydrogenation, 4, 91, 92, 100
- hydrorefining, 90, 96
- isomerization, 17, 91, 100
- oxidation, 14, 15, 23, 30, 31, 53, 88, 89, 99, 107, 108, 115
- oxygenation, 15
- ozonolysis, 24
- production, 4, 8, 12, 21, 33, 79, 83, 91, 98
- in production of resins, 133
- properties, 7, 14, 23, 86, 87, 88, 98
- purification, 21, 22, 83, 84, 85, 96
- recovery, 13, 21, 22, 78, 83, 85, 96
- reduction, 25, 92
- separation, 5, 21, 22, 30, 78, 83, 85
- sulphonation, 32
- synthesis, 97
- Arosolvan Process**, 85
- Asphalt**
 - analysis, 29
 - properties, 29
 - in road construction, 127

B

- Benzanthrane**
 - determination, 102, 145
 - ozonolysis, 25
 - properties, 23
 - reduction, 25
- Benzantracenes**
 - analysis, 101
 - dehydrogenation, 22
 - properties, 23
- Benzene**
 - alkylation, 16, 17, 89, 90
 - benzylation, 16
 - crystallization, 12, 85
 - dehydrocondensation, 97
 - desulphurization, 12, 83, 84
 - determination, 7, 18, 92, 145
 - electroreduction, 92
 - extraction, 85
 - hydrodesulphurization, 84
 - hydrogenation, 92
 - oxidation, 14, 15, 30, 31, 107, 108
 - oxygenation, 15
 - production, 8, 12, 17, 25, 83, 85, 90, 91, 96
 - properties, 13, 86, 87, 88, 98
 - purification, 12, 83, 84, 85
 - recovery, 13, 85
 - refining, 12, 83, 84, 85
 - sulphonation, 12, 32

- Benzene - *continued*
 - transalkylation, 91
 - Benzene, Ethyl-
 - dealkylation, 17
 - determination, 18
 - disproportionation, 91
 - in extraction of anthracene, 21
 - hydrogenation, 92
 - oxidation, 88
 - production, 16, 17, 91
 - in production of resins, 133
 - properties, 13, 87
 - recovery, 85
 - Benzenecarboxylic Acids
 - analysis, 116
 - oxidation, 31
 - production, 24, 34, 88, 89
 - Benzenes, Alkyl-
 - alkylation, 16, 89
 - analysis, 18, 92, 116
 - dealkylation, 90, 91, 96
 - dehydrocyclization, 25
 - disproportionation, 17, 91
 - hydrodealkylation, 90, 91
 - hydrogenation, 86, 92
 - hydrorefining, 90
 - isomerization, 17, 91
 - oxidation, 14, 88, 89
 - production, 12, 16, 83, 89
 - properties, 13, 23, 86, 87, 88, 98
 - purification, 12, 85
 - recovery, 21, 85
 - transalkylation, 17, 91, 98
 - Benzindane
 - synthesis, 22
 - Benzocarbazole
 - determination, 44
 - synthesis, 121
 - Benzocarbazoles
 - analysis, 78
 - Benzochrysene
 - properties, 23
 - Benzofluoranthene
 - purification, 98
 - synthesis, 98
 - Benzofuran
 - synthesis, 114
 - Benzofurans
 - analysis, 78
 - recovery, 97
 - Benzole
 - acid washing, 12, 83
 - analysis, 93
 - desulphurization, 12, 83, 84
 - distillation, 12, 83, 84
 - in effluent treatment, 9
 - hydrocracking, 84
 - hydrodealkylation, 84
 - production, 12, 75, 83
 - in production of acetylene, 76
 - purification, 12, 83, 84, 85
 - pyrolysis, 76
 - recovery, 83
 - refining, 12, 83, 84
 - Benzoperylene
 - properties, 23
 - Benzophenanthrene
 - properties, 23
 - Benzopyrene
 - determination, 102, 145
 - Benzopyrenes
 - analysis, 145
 - synthesis, 22, 98
 - Benzoquinones
 - production, 115
 - properties, 26
 - Benzothiophens
 - properties, 23
 - synthesis, 22
 - Binaphthyl
 - dehydrocyclization, 97
 - Biphenyl
 - decomposition, 100
 - determination, 101
 - hydrogenolysis, 90
 - production, 97, 107
 - reaction with carbon dioxide, 100
 - Bipyridyls
 - production, 121
 - Bitumen
 - as binder in electrodes, 137
 - in carbon fibres, 136
 - in electrode manufacture, 137
 - modification with fatty acids, 128
 - with pitch, 45
 - with polymers, 45, 46
 - with tar, 45, 128
 - in pipecoatings, 48, 129
 - specifications, 48
 - testing, 129
 - water absorption, 49
 - in pipewrappings, 129
 - in plastic moulding materials, 50
 - properties, 104, 129
 - as road binder, 45, 127, 128
 - adhesion, 47
 - anti-skid properties, 46
 - penetration, 46, 104
 - solvent recovery, 46
 - specifications, 45
 - in slurry seals, 47
 - in surface dressing, 47, 128
 - full-scale trials, 47, 128
 - specifications, 47, 128
 - Brazan
 - recovery, 97
- ## C
- Carbamate Insecticides, 57
 - Carbazole
 - determination, 43
 - extraction, 21, 22, 97
 - oxidation, 24, 123
 - in production of resins, 54
 - properties, 23
 - recovery, 21, 22, 97
 - Carbazoles
 - analysis, 78
 - oxidation, 123
 - Carbon Black, 59, 76
 - production, 59, 76, 138
 - in production of graphite, 138
 - Carbon Fibres, 136
 - Carbon/Hydrogen Determination, 64, 143
 - Carbon Materials, 57, 136
 - Carboxylic Acids, Aromatic
 - analysis, 116
 - oxidation, 31
 - production, 21, 24, 25, 34, 88, 89
 - Catechol
 - alkylation, 131
 - determination, 35
 - etherification, 113
 - polymerization, 134
 - production, 34, 114

Catechol - continued

in production of insecticides, 57

Chrysene

determination, 102

properties, 23

synthesis, 97

Chrysenes

analysis, 26

properties, 23, 26

Coal

in briquettes, 131

caking, 4

carbonization, 3, 4, 30, 75, 76, 79

in electrical discharges, 4

entrained bed, 78

fluid bed, 75, 76

low temperature, 3, 75, 78, 80

static bed, 78

carbonizing properties, 3, 77

combustion, 51

crushing, 75

dissolution, 77

elasticity, 75

gasification, 4, 23, 75, 76, 77

hydrogasification, 4, 77

hydrogenation, 4

nitration, 3

origin, 77

pyrolysis, 3, 4, 76, 77

reaction with ammonia, 4

softening temperature, 5

structure, 6, 77

uses, 4, 131

volatile matter content, 77

Coalite Process, 3, 75

Coal Oil

distillation, 3, 75

hydrocracking, 79, 80

processing, 75

production, 3, 75, 76, 77

Coal Tar, High Temperature

air blowing, 8, 75

analysis, 3, 4, 5, 77, 78, 105, 145

ash removal, 79, 105

in briquettes, 75, 138

cleaning, 79

coking, 57, 75, 76, 136

dehydration, 7, 78, 79

delayed coking, 57

distillation, 5, 7, 77, 79, 106

distillation analysis, 3

in electrodes, 8, 59, 138

emulsions, 78, 128

preparation, 129

stabilization, 128

in enamels, 48, 129

application, 129

cost, 48

performance, 48

specifications, 129

extraction, 8, 78

in fuels, 50

hydrocracking, 8, 79

hydrogenation, 8, 79

modification with bitumen, 45, 128

with fatty acids, 128

with polymers, 45, 47, 127, 128, 129

oxidation, 8

in paints, 48, 129

cost, 48

performance, 48

in pipecoatings, 48, 129

application, 48, 129

Coal Tar, High Temperature - continued

with cathodic protection, 48

cost, 48

history, 48

specifications, 48

water absorption, 48

in pipewrapping tapes, 50, 129

polymerization, 75

processing, 3, 7, 45, 75, 78, 127

production, 3, 4, 45, 75, 76

properties, 3, 8, 75, 127

purification, 7, 79

pyrolysis, 5, 76

recovery, 75

recovery from effluents, 9

in road binders, 8, 45, 127, 128

adhesion, 45, 47

ageing, 47, 127, 128

anti-skid properties, 45, 127, 128

determination of content, 46

durability, 127

manufacture, 127

surface dressing, 45, 127, 128

viscosity, 46, 127

volatility, 127

weathering, 127

wettability, 46

separation, 3, 78, 79

in soaps, 139

in soil stabilization, 47

solvent fractionation, 105

stabilization, 79

sulphur removal, 7

thermal treatment, 75, 76

in timber preservation, 55

viscosity, 46, 127

yield from coal, 3, 75

Coal Tar, Low Temperature

analysis, 5, 6, 77, 78

centrifuging, 7

composition, 6, 77, 78

cracking, 8

distillation, 6, 7, 75, 80

extraction, 6

hydrocracking, 8

hydrogenolysis, 80

processing, 7, 75, 80

production, 75, 76, 77, 78

purification, 7

in road binders, 128

Coal Tar Fractions

analysis, 5, 6, 77, 78, 92, 101

dealkylation, 91

distillation, 7, 75, 78

hydrocracking, 79, 80

hydrogenation, 79

hydrogenolysis, 33

production, 3, 4, 5, 8, 12, 75, 76

in production of detergents, 6

of pesticides, 136

of proteins, 6

purification, 12, 21, 22, 75

pyrolysis, 76

recovery, 12, 13, 75

treatment, 3, 21, 22, 75, 76, 119, 120

use in sealing liquids, 139

Coal Tar Fuels, 50, 131

COED Process, 76

Coke

production, 3, 4, 5, 57, 58, 75, 76, 137

in production of briquettes, 75

of electrically conductive sheets, 130

of electrodes, 59, 137

Coke - *continued*
of pipewrapping tapes, 130
properties, 76
2,3,5-Collidine
determination, 124
2,3,6-Collidine
separation, 40
2,4,5-Collidine
determination, 124
2,4,6-Collidine
purification, 119
separation, 40, 119
3,4,5-Collidine
determination, 124
Collidines
separation, 40
Coronene
properties, 23
Corrosion, 7
in tar distillation plant, 7
Coumarone
polymerization, 51
synthesis, 34
Coumarone Resins, 51, 132
modification with butadiene, 51
with carbazole, 52
with fluorene, 52
with formalite resins, 52
with phenanthrene, 52
production, 51, 132
in production of paints, 133
purification, 51
Creosote
analysis, 79, 100
in froth flotation of coal, 139
in wood preservation, 54, 135
for agricultural silos, 55
durability, 55
code of practice, 54
cost, 54
efficiency, 55, 135
failure, 55
field tests, 55, 135
fortification with copper compounds, 55
fungicidal activity, 55
glossary of terms, 56
incizing of poles, 135
marine exposure tests, 135
marine grade, 135
modification with petroleum oil, 135
performance, 55
pressure treatment, 54, 135
Rüping process, 54
service life, 54
in warm harbours, 54, 135
stake tests, 55, 135
testing, 55, 135
toxicity, 55
Cresol, *meta*-
alkylation, 113
oxidation, 34
preparation, 31, 32, 111
production, 33, 111, 112
properties, 30, 110
synthesis, 31, 33, 111
Cresol, *ortho*-
determination, 7, 35
preparation, 31, 32, 33, 110, 111
production, 33, 110, 111, 112
properties, 110
in separation of collidines, 40
of lutidines, 40
synthesis, 31, 33, 108, 111

Cresol, *para*-
acetylation, 113
alkylation, 113
oxidation, 114
preparation, 31, 32, 33, 109, 111
production, 31, 33, 111, 112
properties, 30, 110
reaction with carbon dioxide, 34
separation, 30
synthesis, 31, 33, 108, 109, 111
Cresols
alkylation, 110, 113
analysis, 7, 35, 36, 116
in froth flotation of coals, 139
in fungicides, 136
isomerization, 113
preparation, 30, 31, 32, 33, 110, 111
production, 33, 110, 111, 112, 114
properties, 33, 110
purification, 30, 106
reaction with formaldehyde, 7
recovery, 30, 106
separation, 30
synthesis, 30, 31, 33, 107, 110
Crystallization, 70, 71, 150
Cumene
dealkylation, 17
oxidation, 31, 88, 107
production, 91
properties, 17
purification, 86
Cyclohexane
properties, 13, 14, 87
Cyclohexanol
dehydrogenation, 31, 107
Cyclopentadiene
polymerization, 92
Cyclopentadienes
hydrogenation, 131
in production of jet fuels, 131
Cymene, *ortho*-
production, 90
Cymene, *para*-
dealkylation, 17
disproportionation, 91
production, 89, 90
Cymenes
production, 16, 89, 90

D

Detergents
from alkylbenzenes, 16
from l.t. tar fractions, 6
Detol Process, 90
Diphenylmethane
properties, 14
Diquat, 56
fungicidal activity, 135
mode of action, 56, 136
phytotoxicity, 57
Distillation, 69, 70, 149, 150
Durene
oxidation, 23
production, 16, 89
in production of resins, 133

E

Effluents
analysis, 9, 81
biological treatment, 9, 80, 81
dephenolation, 3, 9, 81

Effluents - continued
disposal legislation, 80
distillation, 81
estimation of phenols in, 9, 81
of pyridines in, 10, 81
extraction, 9, 81
oxidation, 9
oxygen demand, 9
purification, 3, 9, 80, 81
treatment, 9, 80, 81
Enthalpimetry, 66, 146
Entropy Measurement, 68, 147

F

Fluoranthene
determination, 102
Fluoranthenes
production, 22
synthesis, 98
Fluorene
oxidation, 24
recovery, 97
Fluorenone
production, 24
ring expansion, 22
Fungicides
history, 56
toxicity, 56
Fraass Brittle Point, 68, 140

G

Gas Chromatography, 7, 65, 144
capillary columns, 65, 144
coated capillary columns, 65
detectors, 65
gel permeation, 65
packed columns, 65
photo-ionization detector, 65
porous layer open tubular columns, 65, 145
preparative scale, 65, 145
pyrolysis, 65, 145
sandwiched capillary columns, 145
silylation, 145

H

Halogens Determination, 64, 143, 144
HDA Process, 91
Herbicides, 56, 121, 136
Hydrogen Cyanide
production from coal, 4
Hydroquinone
determination, 36
etherification, 113
polymerization, 134
production, 34, 119
properties, 110
synthesis, 31

I

Indanol
etherification, 113
Indan
hydrocracking, 25
Indans
production, 16
Indene
polymerization, 51, 52, 132

Indene - continued
production, 96
in production of plasticizers, 52
properties, 98
Indene-Coumarone Resins, 51, 132
modification with butadiene, 51, 132
with carbazole, 52
with fluorene, 52
with formalite resins, 52
with phenanthrene, 52
production, 51, 132
properties, 132
purification, 51
uses, 132, 133
Indole
chlorination, 21
determination, 81
hydrogenation, 42
in inhibitors, 60
recovery, 120
Indoline
hydrogenation, 42
production, 42
Insecticides, 57, 92, 136
Isoforming Process, 91
Isophthalic Acid
production, 53, 88
Isoquinoline
determination, 43, 124
hydrogenation, 42
properties, 41, 122
recovery, 39
separation, 39, 43

L

Latent Heat Measurement, 147
Lepidine
determination, 125
properties, 122
Light Oils, 12, 83
acid washing, 83
desulphurization, 83
distillation, 96
hydrogenation, 83
production, 3, 8, 12
Lignite
carbonization, 77
Lignite Pitch
delayed coking, 57, 137
Lignite Tar
analysis, 77, 78
composition, 77, 78
distillation, 78
fractionation, 77
production, 77
treatment, 77
Liquid Fuels, 50, 131
production, 4, 76, 80
from coal, 4, 76
from l.t. tar, 8, 80
from shale oil, 4
Litol Process, 90
2,3-Lutidine
recovery, 39
reduction, 123
separation, 39
2,4-Lutidine
determination, 124
purification, 119
recovery, 39
reduction, 123

2,4-Lutidine - *continued*
separation, 39, 119

2,5-Lutidine
recovery, 40
reduction, 123
separation, 40

2,6-Lutidine
dealkylation, 41
in decorative foils, 60
determination, 124
properties, 122
purification, 119
separation, 119

3,4-Lutidine
determination, 123
reduction, 123

3,5-Lutidine
determination, 123
reduction, 123
separation, 40

Lutidines
purification, 119
recovery, 39
reduction, 123
separation, 39

M

Maleic Anhydride
production, 88

Melophanic Acid
production, 23

Mesitylene
decomposition, 100
hydrogenation, 92
oxidation, 15
in production of resins, 133

MHC Process, 17

Middle Oils, 21, 96
analysis, 6, 26
cracking, 8
hydrogenation, 83
production, 3, 75, 80
in production of liquid fuels, 51
refining, 3, 75

N

Naphtha
analysis, 6, 26
coking, 58
desulphurization, 83
polymerization, 51, 132
in production of DDT, 136

Naphthalene
acid washing, 96
acylation, 25, 97
alkylation, 98
decomposition, 100
desulphurization, 21
determination, 18, 26, 77, 93, 101
distillation, 21, 96
extraction, 21, 23
hydrogenation, 99
hydrorefining, 96
oxidation, 31, 52, 53, 133, 134
ozonolysis, 25
production, 5, 8, 21, 33, 79, 83, 91, 96, 97
in production of resins, 133
properties, 23, 98
purification, 21, 96
recovery, 21, 83, 96
sublimation, 21

Naphthalene - *continued*
succinoylation, 97

Naphthalenecarboxylic Acids
production, 24

Naphthalene Oil
crystallization, 21, 96
distillation, 21, 96
production, 21
treatment, 96

Naphthalene, Tetrahydro-
determination, 101
in dissolution of coal, 77
as hydrogen donor, 91
oxidation, 99

Naphthalenes, Alkyl-
alkylation, 25, 99
analysis, 101
dealkylation, 97
dehydrocyclization, 25
dehydrogenation, 25
isomerization, 25
in jet fuels, 51
oxidation, 15
ozonolysis, 25
production, 35, 99
properties, 23, 87, 98
purification, 21

1-Naphthol
alkylation, 35
determination, 116
etherification, 113
production, 31, 109
synthesis, 99

2-Naphthol
determination, 116
etherification, 113
production, 109
properties, 98

Naphthols
analysis, 37, 116
etherification, 113
as stabilizer for fuel, 51
for plastics, 51
for synthetic rubber, 51

Naphthoic Acids
production, 21

Naphthoquinone
recovery, 53, 134

1-Naphthylamine
determination, 43

2-Naphthylamine
determination, 43
properties, 98

Nitrogen Determination, 64, 143

O

Oxygen Determination, 64, 143

P

Paraquat, 57, 135
fungicidal activity, 135
identification, 57
mode of action, 136

Perylene
determination, 102
purification, 98
synthesis, 98

Pesticides, 56, 136

Petroleum Coke, 58, 137

- Petroleum Coke - continued**
 properties, 58
- Petroleum Pitch**
 as binder in carbon electrodes, 58
 coking value, 58
 properties, 58
- Phenanthraquinone**
 photochemical reaction with benzene, 92
 production, 24
- Phenanthrene**
 decomposition, 100
 determination, 101, 102, 145
 extraction, 21, 22, 97
 hydrogenation, 23, 100
 oxidation, 24, 99
 properties, 23
 purification, 21
 recovery, 97
 separation, 21, 22, 97
 synthesis, 97
 sulphonation, 25
- Phenanthrene, Octahydro-**
 isomerization, 23, 100
 oxidation, 23
 production, 23, 100
- Phenanthrenes**
 synthesis, 22
- Phenol**
 acetylation, 113
 alkylation, 33, 110, 111, 112, 113
 chlorination, 34
 determination, 36, 81
 etherification, 113
 hydrogenation, 34, 80
 oxidation, 34, 114
 oxidative coupling, 114
 preparation, 31, 32, 34
 production, 32, 113, 114
 in production of resins, 132
 properties, 14, 30, 33, 110
 purification, 31
 recovery, 9, 107
 removal from effluents, 9, 81
 synthesis, 30, 31, 106, 107, 108
- Phenols**
 acetylation, 113
 alkylation, 33, 110, 111, 112, 113
 analysis, 7, 35, 36, 37, 43, 78, 81, 115, 116
 condensation, 134
 disproportionation, 34
 hydrogenation, 34, 83
 isomerization, 34
 oxidation, 114
 production, 8, 30, 31, 33, 75, 106, 108, 109, 110
 in production of bactericides, 56
 of fungicides, 56
 of herbicides, 56
 of inhibitors, 60, 131, 132
 of tanning agents, 60
- Phenols, Alkyl-**
 analysis, 7, 35, 36, 81, 116
 dealkylation, 34, 114
 dehydrocyclization, 34
 disproportionation, 34
 distillation, 106
 hydrogenation, 34
 isomerization, 34
 preparation, 30, 33, 108, 109
 production, 33, 108, 109, 110, 111
 properties, 33, 110
 recovery, 30, 106
 separation, 30, 106
 synthesis, 30, 33, 108, 109, 111
- Phenols - continued**
 thermal cracking, 33
 transalkylation, 112
 uses, 30
- Phenols, Dialkyl-**
 alkylation, 110
 analysis, 7, 35, 36
 extraction, 30
 isomerization, 113
 oxyethylation, 33
 preparation, 32, 109, 110, 111, 113
 production, 111, 112, 113
 properties, 30, 33, 110
 purification, 30, 106
 recovery, 30
 separation, 30
 synthesis, 30, 33, 109, 110, 111
- Phenols, Dihydric**
 alkylation, 131
 analysis, 36, 116
 etherification, 113
 production, 34, 107
 in production of inhibitors, 132
 of insecticides, 57
 properties, 110
 separation, 36
 synthesis, 31
- Phenols, Monohydric**
 acetylation, 113
 alkylation, 33, 110, 111, 112
 analysis, 7, 35, 36, 78, 81, 115
 etherification, 113
 preparation, 31, 108, 109, 111, 112
 production, 8, 106, 108, 109, 110
 properties, 30, 33, 110
 recovery, 3, 9, 30, 106
 removal from effluents, 9
 separation, 30
 synthesis, 30, 31, 107, 108, 109, 110, 111, 112
- Phenosolvan Process, 9**
- Phloroglucinol**
 determination, 36
- Phthalic Anhydride**
 determination, 53
 production from anthracene, 24, 99
 from naphthalene, 21, 52, 53, 133, 134
 from phenanthrene, 24, 99
 from 1-tetralol, 99
 from o-xylene, 14, 52, 88, 133, 134
 purification, 53, 134
- 2-Picoline**
 chlorination, 43
 determination, 7
 hydrogenation, 123
 production, 41, 120, 122
 properties, 40, 41, 121, 122
 purification, 119
 separation, 119
 synthesis, 121
- 3-Picoline**
 determination, 124
 properties, 40, 121, 122
 purification, 119
 recovery, 39
 separation, 39, 119
 synthesis, 40, 120, 121
- 4-Picoline**
 determination, 119, 124
 oxidation, 122
 properties, 40, 121, 122
 purification, 119
 recovery, 119

- 4-Picoline - *continued*
 - separation, 119
 - synthesis, 121
- Picolines
 - analysis, 124
 - chlorination, 43
 - oxidation, 122, 123
 - preparation, 122
 - production, 83, 119, 120, 121, 122
 - properties, 40, 122
 - purification, 119
 - recovery, 119
 - separation, 39, 119
 - synthesis, 40, 120
- 2-Pipecoline
 - production, 123
 - properties, 87
- Piperidine
 - production, 42
 - properties, 41, 87, 121, 122
- Pitch
 - in adhesives, 28, 104
 - air-blowing, 28, 104
 - analysis, 28, 29, 104, 105
 - in anti-fouling compositions, 49
 - as binder in briquettes, 131, 138, 139
 - in carbon electrodes, 58, 136, 137, 138
 - modification, 137
 - properties, 58, 59, 137
 - in graphite, 138
 - properties, 138
 - in moulding sands, 59, 139
 - in refractories, 59
 - in roads, 128
 - characterization, 104
 - coking, 57, 58, 59, 75, 136, 137
 - coking value, 7, 58, 137
 - composition, 78, 137
 - continuous coking, 58
 - in dampcourses, 130
 - delayed coking, 57, 137
 - in joint sealing membranes, 49
 - mixtures with bitumen, 45
 - with coal, 50, 58, 130, 131
 - with oxidizing agents, 59
 - with petroleum coke, 58, 137
 - with polymers, 49, 128, 130, 137
 - with resins, 49, 128
 - with rubber, 49
 - with sand, 104
 - with sulphur, 50
 - modification, 45, 104, 128, 137, 138
 - in paints, 49, 129, 130
 - in pipecoatings, 49, 129
 - in pipewrapping tapes, 49, 50, 129, 130
 - in plastic moulding materials, 50
 - production, 7, 75, 78, 104
 - in production of carbon black, 59
 - properties, 28, 59, 104, 139
 - pyrolysis, 139
 - solvent fractionation, 29, 105, 137
 - thermal treatment, 28, 58, 104, 136
 - in thermoplastic foams, 50
 - treatment with acetylene, 137
 - with lignin sulphonate, 28
- Pitch Coke
 - anisotropic properties, 57
 - calcination, 58
 - desulphurization, 138
 - production, 57, 76, 137
 - in production of electrically conductive sheets, 130
 - of electrodes, 57, 76, 137
- Pitch Coke - *continued*
 - of graphite, 57, 137
 - of pipewrapping tapes, 130
 - of tamping materials, 59
 - of solid fuel, 57
 - properties, 57, 58, 137, 138
 - pyrolysis, 76
 - testing, 137
- Pitch Distillates
 - analysis, 26, 101
 - coking, 57
 - distillation, 57
 - extraction, 28, 97
 - oxidation, 24, 57
 - properties, 26
 - in protective coatings, 28
 - in road binders, 28
 - in swelling agents for elastomers, 28
 - in timber preservation, 28
- Pitch Fibre Pipes, 130
- Plastics and Resins, 51, 92, 132
- Polyphenylene Oxide (PPO) Resins, 52, 134
 - modification with phenols, 52
 - preparation, 34, 134
 - properties, 52
- Propam, 57
- Protective Coatings, 48, 129
- Pyrene
 - determination, 102
 - ozonolysis, 25
 - in production of resins, 54
- Pyridine
 - alkylation, 41
 - determination, 43, 119, 124
 - hydrogenation, 42
 - in inhibitors, 60
 - oxidation, 122, 123
 - production, 41, 83, 119, 120, 122
 - properties, 40, 41, 88, 121
 - purification, 39
 - recovery, 39, 119, 120
 - removal from effluents, 81
 - separation, 119, 120
 - synthesis, 40, 120
- Pyridine, Ethyl-
 - determination, 43
 - oxidation, 122, 123
 - preparation, 123
 - production, 41, 122
 - properties, 122
 - purification, 119
 - separation, 119
- Pyridines
 - alkylation, 41, 42, 122
 - analysis, 43, 78, 123, 124
 - chlorination, 43
 - dealkylation, 120, 122
 - dehydrogenation, 120
 - extraction, 119
 - oxidation, 120, 122
 - production, 39, 41, 120
 - properties, 40, 121
 - purification, 39, 119
 - recovery, 39, 119
 - separation, 39, 119
 - synthesis, 40, 120
- Pyrogallol
 - determination, 36
 - etherification, 113
- Pyromellitic Acid
 - production, 23, 92
- Pyrotol Process, 90

Pyrroles
properties, 121

Q

Quinaldine
determination, 43, 125
hydrogenation, 42
properties, 41, 122
recovery, 39
separation, 39
Quinoline
alkylation, 42
determination, 43, 124
hydrogenation, 42
production, 96, 119, 120
properties, 41, 122
purification, 119, 120
recovery, 39
separation, 39, 43, 119, 120
Quinolines
analysis, 43, 78, 124
hydrogenation, 42
in inhibitors, 59
isomerization, 42
production, 42
properties, 41, 121, 122
purification, 119, 120
recovery, 39, 119, 120
separation, 39
synthesis, 121

R

Redex Process, 85
Resorcinol
determination, 36
etherification, 113
in production of adhesives, 53, 54
of resins, 132
polymerization, 134
Rexco Process, 3
Road Tar, 45, 127
adhesion, 45
anti-skid properties, 45, 127
emulsification, 48, 128, 129
mixtures with aggregate, 45, 127, 128
adhesion, 45, 47
compacting viscosity, 46
determination of content, 46
durability, 127
effect of salt on, 129
hardening, 45
laying, 47, 127
Marshall test, 46
metric conversion, 45
properties, 46, 127
road trials, 127
specifications, 127, 128
testing, 129
transport, 127
wheel tracking test, 127
modification with bitumen, 45, 128
with fatty acids, 129
with polymers, 45, 127, 128
production, 45
in slurry seals, 48
specifications, 45, 128
in surface dressing, 45, 127, 128
adhesion, 47
ageing, 47
bleeding, 47

Road Tar - continued
coating thickness, 46
cooling, 46
precoating of chippings, 47, 128
rate of spread, 46
road trials, 128
size of chippings, 46, 127
skid resistance, 128
specifications, 45, 128
spraying, 47
testing, 46, 127
volatility, 127
weathering, 127

S

Semiconductors, 92
Sevin
determination, 57
Slurry Seal, 48, 128
chemistry, 48
choice of aggregate, 48
of emulsifier, 48
rupture, 48
Solid Fuels, 50, 131
production from coal, 50, 131
from coal tar, 50
from phenolic effluents, 50
from pitch, 50
properties, 50
Solvent Extraction, 13, 150, 151
Sulphur Determination, 6, 64, 65, 144
in benzole, 6
in tar oils, 6, 7
Surface Tension Measurement, 68

T

Tar Acids, 30, 106
analysis, 6, 35, 43, 78, 115
cracking, 8
distillation, 78
hydrogenolysis, 33, 80
production, 8, 30, 75, 78
purification, 106
recovery, 75, 78
yield from lignite, 78
Tar Bases, 39, 119
ammonolysis, 92
ammonoxidation, 92
analysis, 5, 6, 43, 78, 119, 123
hydrodealkylation, 122
hydrogenolysis, 33, 80
production, 33, 39, 78, 83
properties, 7
purification, 39
recovery, 39
separation, 5, 39, 78
synthesis, 40
Tar Distillates
analysis, 5, 6, 26
condensation with formaldehyde, 54
cracking, 8
distillation, 5, 7
hydrogenation, 4
hydrogenolysis, 33
production, 3
refining, 3
Terephthalic Acid
production, 53
Tetracene
properties, 23

1-Tetralone
production, 99
Thermal Conductivity Measurement, 67
Thionaphthen
production, 96
removal from naphthalene, 96, 99
Thiophen
determination, 93
effect in alkylation of benzene, 16
hydrogenolysis, 18
polymerization with indene, 83
properties, 13
recovery, 12
removal from benzene, 12, 83, 84
Thiophens
analysis, 93
removal from toluene, 84
Toluene
alkylation, 16, 89, 90
autooxidation, 88
benzylation, 16
cyclialkylation, 16
dealkylation, 17, 90, 91
decomposition, 100
determination, 18, 92
disproportionation, 17
extraction, 85
hydrodealkylation, 17, 90
hydrogenation, 92
oxidation, 15, 31, 88, 89, 107
oxygenation, 15
production, 17, 25, 83, 91
in production of resins, 133
properties, 13, 86, 87, 88
purification, 12
recovery, 12, 85
sulphonation, 32
Triphos Process, 9

U

Udex Process, 85

V

Vapour-Liquid Equilibria, 67, 87, 147
Vapour Pressure Measurement, 67, 147
Viscosity Measurement, 86, 148

W

Wash Oil
analysis, 93
in benzene recovery, 21, 23, 83
in effluent treatment, 9
hydrogenation, 42
in naphthalene recovery, 21, 83
properties, 23
Wood Preservation, 54, 135

X

Xylene, *meta*-
alkylation, 16, 89, 90
chlorination, 18
determination, 18
hydrogenation, 86
isomerization, 17, 18, 91
oxidation, 15, 88
oxygenation, 15
properties, 14, 87, 88
purification, 18
reaction with acetic anhydride, 18

Xylene - *continued*
recovery, 18, 85, 86
transalkylation, 91
Xylene, *ortho*-
alkylation, 109
chlorination, 18, 92
determination, 18
disproportionation, 17
hydrogenation, 92
isomerization, 17, 18, 91
oxidation, 14, 88, 133, 134
to phthalic anhydride, 53, 134
reaction with acetic anhydride, 17
recovery, 85
production, 25
Xylene, *para*-
chlorination, 18
crystallization, 12, 13, 85
determination, 18
hydrogenation, 86
isomerization, 18, 91
polymerization, 52
production, 17
properties, 14, 88
purification, 12, 13, 86
reaction with acetic anhydride, 18
recovery, 13, 85

Xylenes

alkylation, 16, 89
analysis, 18, 92
chlorination, 18
crystallization, 12, 13, 85
cyclialkylation, 16
dealkylation, 17, 90, 91
decomposition, 100
hydrodealkylation, 90
hydrogenation, 92
hydrolysis, 32
isomerization, 18, 91
oxidation, 15, 53, 88, 89
production, 15, 17, 83
in production of resins, 133
properties, 14, 87, 88
reaction with acetic anhydride, 18
separation, 12, 13, 85

2,3-Xylenol
production, 112
synthesis, 33, 108, 109

2,4-Xylenol
determination, 116
production, 111, 112
synthesis, 33, 111

2,6-Xylenol
determination, 36, 116
disproportionation, 112
extraction, 30
oxidation, 34, 114
oxidative coupling, 114
polymerization, 134
production, 33, 109, 110, 112
properties, 30
purification, 106
rearrangement, 33
recovery, 30, 106
synthesis, 33, 109, 110

3,4-Xylenol
synthesis, 108

3,5-Xylenol
determination, 115, 116
preparation, 32, 33, 109
purification, 109
synthesis, 109
transalkylation, 112

Xylenols

alkylation, 110
analysis, 36, 115, 116
hydrogenation, 34
isomerization, 113
preparation, 30, 32, 111
production, 30, 111, 112
in production of plasticizers, 54
of resins, 54
properties, 33
purification, 30, 106

Xylenols — continued
rearrangement, 33, 113
recovery, 30, 106
synthesis, 30, 33, 108
transalkylation, 112
Xylylenes
production, 52

Z

Zone Refining, 70, 96